

## ME7

### SPECIFICATIONS

Horn mounted on B&C DE 7 compression driver.

Throat Diameter	<b>19 mm (0.75 in)</b>
Nominal Coverage Horizontal	<b>60°</b>
Nominal Coverage Vertical	<b>40°</b>
Cutoff Frequency	<b>2 kHz</b>
Material	<b>ABS</b>
Dimensions	<b>122x122x102 mm (4.8x4.8x4 in)</b>

### MOUNTING AND SHIPPING INFO


Baffle Cutout Dimension	<b>102.7 mm (4 in)</b>
Air Volume Occupied by Driver	<b>0.1 dm<sup>3</sup></b>
Net Weight	<b>0.11 kg (0.25 lb)</b>
Shipping Units	<b>1 pcs</b>
Shipping Weight	<b>0.23 kg (0.51 lb)</b>
Shipping Box	<b>120x117x110 mm (4.72x4.61x4.33 in)</b>

- Exponential flare with great directivity control
- 60° x 40° nominal coverage
- 3/4" throat entry
- Excellent loading down to 2 kHz




**ME7**


**ME7 horizontal directivity map**




**ME7 vertical directivity map**




**ME7**



**ME7 orizz.**



**ME7 vert.**



**ME7**

